## Amendments to the Claims

This listing of claims will replace all prior versions, and listings of claims in the application.

1. (currently amended)

A composition Compositions, comprising one or more compounds of the formula (I)

- X represents halogen, alkyl, alkoxy, haloalkyl, haloalkoxy or cyano,
- W, Y and Z independently of one another represent hydrogen, halogen, alkyl, alkoxy, haloalkyl, haloalkoxy or cyano,
- A represents hydrogen, in each case optionally halogen-substituted alkyl[[,]] or alkoxyalkyl, or saturated, optionally substituted cycloalkyl in which optionally at least one ring atom is replaced by a heteroatom,
- B represents hydrogen or alkyl, or
- A and B together with the carbon atom to which they are attached represent form a saturated or unsaturated, unsubstituted or substituted cycle which optionally contains at least one heteroatom,

prepresents hydrogen or an optionally substituted radical selected from the group consisting of alkyl, alkenyl, alkoxyalkyl, and saturated cycloalkyl in which optionally one or more ring members are replaced by one or more heteroatoms, or

A and D together with the atoms[[,]] to which they are attached, represent form a saturated or unsaturated cycle which optionally contains at least one heteroatom in the A,D moiety and which is unsubstituted or substituted in the A,D moiety,

G represents hydrogen (a) or represents one of the groups

- E represents a metal ion or an ammonium ion,
- L represents oxygen or sulphur,
- M represents oxygen or sulphur,
- R<sup>1</sup> represents in each case optionally halogen-substituted alkyl, alkenyl, alkoxyalkyl, alkylthioalkyl, or polyalkoxyalkyl, [[or]]

optionally halogen-, alkyl- or alkoxy-substituted cycloalkyl which may be interrupted wherein optionally at least one ring atom is replaced by at least one a heteroatom, or in each case optionally substituted phenyl, phenylalkyl, hetaryl, phenoxyalkyl or hetaryloxyalkyl,

- R<sup>2</sup> represents in each case optionally halogen-substituted alkyl, alkenyl, alkoxyalkyl, or polyalkoxyalkyl, or represents in each case optionally substituted cycloalkyl, phenyl or benzyl,
- R<sup>3</sup> represents optionally halogen-substituted alkyl or optionally substituted phenyl,
- R<sup>4</sup> and R<sup>5</sup> independently of one another represent in each case optionally halogen-substituted alkyl, alkoxy, alkylamino, dialkylamino, alkylthio, alkenylthio, or cycloalkylthio, or represent in each case optionally substituted phenyl, benzyl, phenoxy or phenylthio and
- R<sup>6</sup> and R<sup>7</sup> independently of one another represent hydrogen, in each case optionally halogen-substituted alkyl, cycloalkyl, alkenyl, alkoxy, or alkoxyalkyl, represent optionally substituted phenyl, represent optionally substituted benzyl, or R<sup>6</sup> and R<sup>7</sup> together with the N atom to which they are attached represent form an optionally substituted ring which is wherein one or more carbon atoms are optionally interrupted replaced by oxygen or sulphur,

and at least one phthalic diamide compound of the formula (II)

$$\begin{array}{c|c}
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\
 & & \\$$

in which

K represents halogen, cyano, alkyl, haloalkyl, alkoxy or haloalkoxy,

Re<sup>1</sup>, Re<sup>2</sup>, and Re<sup>3</sup> each independently of one another represent hydrogen, cyano, represent optionally halogen-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, or represent a group of the formula

$$M^1-Q_k$$

- M<sup>1</sup> represents <u>in each case</u> optionally substituted alkylene, alkenylene or alkynylene,
- q represents hydrogen, halogen, cyano, nitro, haloalkyl, in each case optionally substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, alkylcarbonyl or alkoxycarbonyl, in each case optionally substituted phenyl[[,]] or heteroaryl, hetaryl or represents a group

## T-Re<sup>4</sup>

T represents –O-, -S(O)<sub>m</sub>- or 
$$-N$$
-
Re<sup>5</sup>

- Re<sup>4</sup> represents hydrogen, in each case optionally substituted alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, alkoxyalkyl, alkylcarbonyl, alkoxycarbonyl, phenyl, phenylalkyl, phenylalkoxy, hetaryl heteroaryl, or heteroarylalkyl hetarylalkyl,
- Re<sup>5</sup> represents hydrogen, represents in each case optionally substituted alkylcarbonyl, alkoxycarbonyl, phenylcarbonyl or phenylalkoxycarbonyl,
- k represents the numbers 1 to 4,
- m represents the numbers 0 to 2, or
- Re<sup>1</sup> and Re<sup>2</sup> together form an optionally substituted four- to seven-membered ring which may wherein one or more carbon atoms are optionally be interrupted replaced by a heteroatom heteroatoms,
- $L^1$  and  $L^3$  independently of one another represent hydrogen, halogen, cyano or in each case optionally substituted alkyl, alkoxy, Alk-S(O)<sub>m</sub>-, phenyl, phenoxy or heteroaryloxy hetaryloxy,

represents hydrogen, halogen, cyano, in each case optionally substituted alkyl, alkenyl, alkynyl, haloalkyl, cycloalkyl, phenyl, or heteroaryl, hetaryl or represents the group

 $M^2-Re^6$ 

in which

 $M^2$  represents –O- or –S(O)<sub>m</sub>-

and

Re<sup>6</sup> represents in each case optionally substituted alkyl, alkenyl, alkynyl, cycloalkyl, phenyl or hetaryl heteroaryl, or

L1-and-L3-or

- L¹ and L³ or L² and L³ L¹-and L² together form an optionally substituted fiveor six-membered ring which may wherein one or more carbon atoms are optionally be interrupted replaced by a heteroatom heteroatoms.
- 2. (currently amended) Compositions The composition according to Claim 1, comprising one or more compounds of the formula (II)

in which

K represents fluorine, chlorine, bromine, iodine, cyano, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-haloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy or C<sub>1</sub>-C<sub>6</sub>-haloalkoxy,

Re<sup>1</sup>, Re<sup>2</sup> and Re<sup>3</sup> each independently of one another represent hydrogen, cyano, represent optionally halogen-substituted C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, or represent a group of the formula

 $M^{1}-Q_{k}$ 

in which

Q

 $M^1$  represents  $C_1$ - $C_8$ -alkylene,  $C_3$ - $C_6$ -alkenylene or  $C_3$ - $C_6$ -alkynylene,

represents hydrogen, halogen, cyano, nitro, haloalkyl, or represents optionally fluorine-, chlorine-, C<sub>1</sub>-C<sub>6</sub>-alkyl- or C<sub>1</sub>-C<sub>6</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl in which optionally one or two not directly adjacent ring members are replaced by oxygen, and/or sulphur, or combinations thereof, [[or]] represents in each case optionally halogen-substituted C<sub>1</sub>-C<sub>6</sub>-alkylcarbonyl or C<sub>1</sub>-C<sub>6</sub>-alkoxycarbonyl, [[or]] represents in each case optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-haloalkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-haloalkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, cyano- or nitro-substituted phenyl or hetaryl heteroaryl having 5 or 6 ring atoms, or represents a group

T-Re<sup>4</sup>

T represents 
$$-O$$
-,  $-S(O)_{m}$ - or  $-N$ -,  $Re^{5}$ 

represents hydrogen, or represents in each case optionally fluorine and/or chlorine substituted C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-alkenyl, C<sub>3</sub>-C<sub>8</sub>-alkynyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl-C<sub>1</sub>-C<sub>2</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkylcarbonyl, or C<sub>1</sub>-C<sub>6</sub>-alkoxycarbonyl, each of which is optionally substituted with fluorine, chlorine, or combinations thereof, represents phenyl, C<sub>1</sub>-C<sub>4</sub>-phenylalkyl, C<sub>1</sub>-C<sub>4</sub>-phenylalkyloxy, hetaryl heteroaryl or hetarylalkyl heteroarylalkyl, each of which is optionally mono—to tetrasubstituted by substituted by one to four substituents selected from the group consisting of halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, nitro [[or]] and cyano, or heteroaryl hetaryl having 5 or 6 ring atoms,

represents hydrogen, or represents in each case optionally

fluorine—and/or—chlorine substituted—C1-C6
alkylcarbonyl[[,]] or C1-C6-alkoxycarbonyl, each of which

is optionally substituted with fluorine, chlorine, or

combinations thereof, or represents phenylcarbonyl or

phenyl-C1-C4-alkyloxycarbonyl, each of which is

optionally mono—to tetrasubstituted by subtituted with one to four substituents selected from the group consisting of halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, nitro [[or]] and cyano,

- k represents the numbers 1 to 3,
- m represents the numbers 0 to 2,
- Re<sup>1</sup> and Re<sup>2</sup> form a five- or six-membered ring which may optionally be interrupted by contains an oxygen or sulphur atom,
- L<sup>1</sup> and L<sup>3</sup> independently of one another represent hydrogen, cyano, fluorine, chlorine, bromine, iodine, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, C<sub>1</sub>-C<sub>4</sub>-alkyl-S(O)<sub>m</sub>-, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl-S(O)<sub>m</sub>-, or represent phenyl, phenoxy, pyridinyloxy, thiazolyloxy or pyrimidyloxy, each of which is optionally mono—to trisubstituted by substituted with one, two or three substituents selected from the group consisting of fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, cyano [[or]] and nitro,
- represents hydrogen, fluorine, chlorine, bromine, iodine, cyano, represents in each case optionally fluorine-and/or chlorine substituted C<sub>1</sub>-C<sub>10</sub>-alkyl, C<sub>2</sub>-C<sub>10</sub>-alkenyl, or C<sub>2</sub>-C<sub>6</sub>-alkynyl, each of which is optionally substituted with fluorine, chlorine, or combinations thereof, represents in

each case optionally fluorine-[[,]] or chlorine-substituted C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, represents phenyl, pyridyl, thienyl, pyrimidyl or thiazolyl, each of which is optionally mono- to trisubstituted by substituted with one, two or three substituents selected from the group consisting of fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, cyano [[or]] and nitro,

or represents a group

$$M^2$$
-Re<sup>6</sup>

in which

 $M^2$  represents –O- or –S(O)<sub>m</sub>- and

represents in each case optionally fluorine and/or chlorine substituted C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>2</sub>-C<sub>8</sub>-alkenyl, C<sub>3</sub>-C<sub>6</sub>-alkynyl or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, each of which is optionally substituted by fluorine, chlorine, or combinations thereof, represents phenyl, pyridyl, pyrimidyl or thiazolyl, each of which is optionally mono to trisubstituted by substituted with one, two or three substituents selected from the group consisting of fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, cyano [[or]] and nitro,

L1-and L3

<del>OF</del>

- $\underline{L^1}$  and  $\underline{L^3}$  or  $L^2$  and  $L^3$  together form in each case an optionally fluorine—and/or  $\underline{C_1}$ — $\underline{C_2}$ —alkyl—substituted  $\underline{a}$  five—or six-membered ring optionally substituted with fluorine,  $\underline{C_1}$ — $\underline{C_2}$ —alkyl, or combinations thereof, wherein said ring optionally contains which may optionally be interrupted by one or two oxygen atoms.
- 3. (currently amended) Compositions The composition according to Claim 1, comprising one or more compounds of the formula (II) in which
  - K represents chlorine, bromine [[and]] or iodine,
  - ${\rm Re^1,\ Re^2}$  and  ${\rm Re^3}$  each independently of one another represent hydrogen or a group of the formula

$$M^1-Q_k$$

in which

- M<sup>1</sup> represents C<sub>1</sub>-C<sub>8</sub>-alkylene, C<sub>3</sub>-C<sub>6</sub>-alkenylene or C<sub>3</sub>-C<sub>6</sub>-alkynylene,
- Q represents hydrogen, fluorine, chlorine, cyano, trifluoromethyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl or represents a group

T-Re<sup>4</sup>

- T represents -O- or  $-S(O)_{m}$ -,
- Re<sup>4</sup> represents hydrogen[[,]] or represents C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-alkenyl, C<sub>3</sub>-C<sub>6</sub>-alkynyl or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, each of which is optionally monoto trisubstituted by fluorine, and/or chlorine, or combinations thereof,
- k represents the numbers 1 to 3,
- m represents the numbers 0 to 2,
- L<sup>1</sup> and L<sup>3</sup> independently of one another represent hydrogen, fluorine, chlorine, bromine, iodine, cyano, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, represent or phenoxy, each of which is optionally mono—or disubstituted by substituted with one or two substituents selected from the group consisting of fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, cyano [[or]] and nitro,
- L<sup>2</sup> represents hydrogen, fluorine, chlorine, bromine, iodine, cyano, represents C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>2</sub>-C<sub>6</sub>-alkynyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, each of which is optionally mono- to tridecasubstituted by fluorine, and/or chlorine, or combinations thereof, or represents a group

 $M^{2}-Re^{6}$ 

 $M^2$  represents -O- or -S(O)<sub>m</sub>-,

and

represents C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>2</sub>-C<sub>6</sub>-alkynyl or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, each of which is optionally mono- to tridecasubstituted by fluorine, and/or chlorine, or combinations thereof, represents or phenyl or pyridyl, each of which is optionally mono- or disubstituted by substituted with one or two substituents selected from the group consisting of fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, trifluoromethyl, difluoromethoxy, trifluoromethoxy, cyano [[or]] and nitro.

- 4. (currently amended) Compositions The composition according to Claim 1, comprising one or more compounds of the formula (II) in which
  - K represents iodine,

Re<sup>1</sup> and Re<sup>2</sup> represent hydrogen,

Re<sup>3</sup> represents a group of the formula

 $M^{1}-Q$ 

M<sup>1</sup> represents –CHCH<sub>3</sub>-CH<sub>2</sub>-, -C(CH<sub>3</sub>)<sub>2</sub>-CH<sub>2</sub>-, -CHC<sub>2</sub>H<sub>5</sub>-CH<sub>2</sub>-, 
$$\frac{-}{}_{3}C - CH_{2} - , \quad \underline{\text{or}} - C(C_{2}H_{5})_{2} - CH_{2} - ,$$

$$H_{3}C - C_{2}H_{5}$$

Q represents hydrogen, fluorine, chlorine, cyano, trifluoromethyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl or represents a group

 $T-Re^4$ 

in which

T represents -S-, -SO- or  $-SO_2$ -,

- Re<sup>4</sup> represents methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, allyl, butenyl or isoprenyl, each of which is optionally mono- to trisubstituted by fluorine, and/or chlorine, or combinations thereof,
- L<sup>1</sup> and L<sup>3</sup> independently of one another represent hydrogen, fluorine, chlorine, bromine, iodine, cyano, methyl, ethyl, n-propyl, isopropyl, tert-butyl, methoxy, ethoxy, trifluoromethyl, difluoromethoxy or trifluoromethoxy,
- L<sup>2</sup> represents hydrogen, fluorine, chlorine, bromine, iodine, <u>or</u> cyano, represents methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, allyl, butenyl or isoprenyl, each of which is optionally mono- to nonasubstituted by fluorine, <u>and/or</u> chlorine, <u>or combinations thereof</u>, or represents a group

 $M^2-R^6$ 

in which

M<sup>2</sup> represents oxygen or sulphur,

and

- represents methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, sec-butyl, tert-butyl, allyl, butenyl or isoprenyl, each of which is optionally mono- to nonasubstituted by fluorine, and/or chlorine, or combinations thereof, represents or phenyl which is optionally substituted with one or two substituents selected from the group consisting of mono- or disubstituted by fluorine, chlorine, bromine, methyl, ethyl, methoxy, trifluoromethyl, difluoromethoxy, trifluoromethoxy, cyano [[or]] and nitro.
- 5. (currently amended) Compositions The composition according to Claim 1, comprising the compound of the formula (II-1)

wherein J is iodine.

- 6. (currently amended) Compositions The composition according to Claim 1, comprising one or more compounds of the formula (I) in which
  - W represents hydrogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, chlorine, bromine or fluorine,
  - X represents C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkyl, fluorine chlorine or bromine,
  - Y and Z independently of one another represent hydrogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, halogen, C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-haloalkyl,
  - A represents hydrogen or in each case optionally halogen-substituted C<sub>1</sub>-C<sub>6</sub>-alkyl or C<sub>3</sub>-C<sub>8</sub>-cycloalkyl,
  - B represents hydrogen, methyl or ethyl, or
  - A[[,]] and B and together with the carbon atom to which they are attached represent form a saturated C<sub>3</sub>-C<sub>6</sub>-cycloalkyl in which optionally one ring member is replaced by oxygen or sulphur and which is optionally mono-or-disubstituted by substituted with one or two substituents selected from the group consisting of C<sub>1</sub>-C<sub>4</sub>-alkyl, trifluoromethyl [[or]] and C<sub>1</sub>-C<sub>4</sub>-alkoxy,
  - D represents hydrogen[[,]] or in each case optionally fluorine- or chlorinesubstituted C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>4</sub>-alkenyl or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, or

A and D together represent optionally methyl-substituted C<sub>3</sub>-C<sub>4</sub>-alkanediyl in which optionally one methylene group is replaced by sulphur,

G represents hydrogen (a) or represents one of the groups

in which

E represents a metal ion or an ammonium ion,

L represents oxygen or sulphur and

M represents oxygen or sulphur,

represents in each case optionally halogen-substituted  $C_1$ - $C_{10}$ -alkyl,  $C_2$ - $C_{10}$ -alkenyl,  $C_1$ - $C_4$ -alkoxy- $C_1$ - $C_4$ -alkyl, or  $C_1$ - $C_4$ -alkyl, or optionally fluorine-, chlorine-,  $C_1$ - $C_4$ -alkyl- or  $C_1$ - $C_2$ -alkoxy-substituted  $C_3$ - $C_6$ -cycloalkyl,

represents optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, trifluoromethyl- or trifluoromethoxy-substituted phenyl, or

represents in each case optionally chlorine- or methyl-substituted pyridyl or thienyl,

R<sup>2</sup> represents in each case optionally fluorine- or chlorine-substituted  $C_1$ -  $C_{10}$ -alkyl,  $C_2$ - $C_{10}$ -alkenyl, or  $C_1$ - $C_4$ -alkoxy- $C_2$ - $C_4$ -alkyl,

represents optionally methyl- or methoxy-substituted C<sub>5</sub>-C<sub>6</sub>-cycloalkyl, or

represents in each case optionally fluorine-, chlorine-, bromine-, cyano-, nitro-,  $C_1$ - $C_4$ -alkyl-,  $C_1$ - $C_4$ -alkoxy-, trifluoromethyl- or trifluoromethoxy-substituted phenyl or benzyl,

- R<sup>3</sup> represents optionally fluorine-substituted C<sub>1</sub>-C<sub>4</sub>-alkyl or represents optionally fluorine-, chlorine-, bromine-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, trifluoromethyl-, trifluoromethoxy-, cyano- or nitro-substituted phenyl,
- represents in each case optionally fluorine- or chlorine-substituted C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylamino, or C<sub>1</sub>-C<sub>4</sub>-alkylthio, or represents in each case optionally fluorine-, chlorine-, bromine-, nitro-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, trifluoromethoxy-, C<sub>1</sub>-C<sub>4</sub>-alkylthio-, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio-, C<sub>1</sub>-C<sub>4</sub>-alkyl- or trifluoromethyl-substituted phenyl, phenoxy or phenylthio,
- R<sup>5</sup> represents C<sub>1</sub>-C<sub>4</sub>-alkoxy or C<sub>1</sub>-C<sub>4</sub>-thioalkyl,

- R<sup>6</sup> represents  $C_1$ - $C_6$ -alkyl,  $C_3$ - $C_6$ -cycloalkyl,  $C_1$ - $C_6$ -alkoxy,  $C_3$ - $C_6$ -alkenyl, or  $C_1$ - $C_4$ -alkoxy- $C_1$ - $C_4$ -alkyl,
- $R^7$  represents  $C_1$ - $C_6$ -alkyl,  $C_3$ - $C_6$ -alkenyl or  $C_1$ - $C_4$ -alkoxy- $C_1$ - $C_4$ -alkyl,
- $R^6$  and  $R^7$  together represent an optionally methyl- or ethyl-substituted  $C_3$ - $C_6$ alkylene radical in which optionally one carbon atom is replaced by oxygen or sulphur.
- 7. (currently amended) Compositions The composition according to Claim 1, comprising one or more compounds of the formula (I) in which
  - W represents hydrogen, methyl, ethyl, chlorine, bromine or methoxy,
  - X represents chlorine, bromine, methyl, ethyl, propyl, isopropyl, methoxy, ethoxy or trifluoromethyl,
  - Y and Z independently of one another represent hydrogen, fluorine, chlorine, bromine, methyl, ethyl, propyl, isopropyl, trifluoromethyl or methoxy,
  - A represents methyl, ethyl, propyl, isopropyl, butyl, isobutyl, sec-butyl, tertbutyl, cyclopropyl, cyclopentyl or cyclohexyl,
  - B represents hydrogen, methyl or ethyl, or
  - A[[,]] and B and together with the carbon atom to which they are attached represent form a saturated C<sub>6</sub>-cycloalkyl in which optionally one ring

member is replaced by oxygen and which is optionally monosubstituted by methyl, ethyl, methoxy, ethoxy, propoxy or butoxy,

D represents hydrogen, represents methyl, ethyl, propyl, isopropyl, butyl, isobutyl, allyl, cyclopropyl, cyclopentyl or cyclohexyl, or

A and D together represent optionally methyl-substituted C<sub>3</sub>-C<sub>4</sub>-alkanediyl,

G represents hydrogen (a) or represents one of the groups

in which

M represents oxygen or sulphur,

R<sup>1</sup> represents C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>2</sub>-C<sub>4</sub>-alkenyl, methoxymethyl, ethoxymethyl, ethylthiomethyl, cyclopropyl, cyclopentyl or cyclohexyl,

represents phenyl which is optionally mono or disubstituted by substituted with one or two substituents selected from the group consisting of fluorine, chlorine, bromine, cyano, nitro, methyl, ethyl, methoxy, trifluoromethyl [[or]] and trifluoromethoxy, or

represents pyridyl or thienyl, each of which is optionally mone or disubstituted by substituted with one or two substituents selected from the group consisting of chlorine [[or]] and methyl,

- R<sup>2</sup> represents C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>2</sub>-C<sub>4</sub>-alkenyl, methoxyethyl, ethoxyethyl, [[or]] represents phenyl or benzyl,
- $R^6$  and  $R^7$  independently of one another represent methyl, ethyl or  $\underline{R^6}$  and  $\underline{R^7}$  together represent a C<sub>5</sub>-alkylene radical in which the C<sub>3</sub>-methylene group is replaced by oxygen.
- 8. (currently amended) Compositions The composition according to Claim 1, comprising one or more compounds of the formula (I) in which
  - W represents hydrogen or methyl,
  - X represents chlorine, bromine or methyl,
  - Y and Z independently of one another represent hydrogen, chlorine, bromine or methyl,
  - A[[,]] and B and together with the carbon atom to which they are attached represent form a saturated C6-cycloalkyl in which optionally one ring member is replaced by oxygen and which is optionally monosubstituted by methyl, methoxy, ethoxy, propoxy or butoxy,
  - D represents hydrogen,
  - G represents hydrogen (a) or represents one of the groups

in which

M represents oxygen or sulphur,

R<sup>1</sup> represents  $C_1$ - $C_8$ -alkyl,  $C_2$ - $C_4$ -alkenyl, methoxymethyl, ethoxymethyl, ethylmethylthio, cyclopropyl, cyclopentyl, cyclohexyl, [[or]]

represents phenyl which is optionally monosubstituted by fluorine, chlorine, bromine, methyl, methoxy, trifluoromethyl, trifluoromethoxy, cyano or nitro, or

represents pyridyl or thienyl, each of which is optionally monosubstituted by chlorine or methyl,

 $R^2$  represents  $C_1$ - $C_8$ -alkyl,  $C_2$ - $C_4$ -alkenyl, methoxyethyl, ethoxyethyl, phenyl or benzyl,

 $R^6$  and  $R^7$  independently of one another represent methyl[[,]] or ethyl, or  $\underline{R^6 \text{ and } R^7} \text{ together represent a C}_5\text{-alkylene radical in which the}$  C}\_3-methylene group is replaced by oxygen.

9. (currently amended) Compositions The composition according to Claim [[1]] 8, comprising one or more compounds of the formula (I)

$$R \xrightarrow{H} O \times 3 \times 4 \times 5 \times 2 \times 10^{-10}$$

in which the substituents wherein W, X, Y, Z, R and G are as defined below have the radical definitions given in the table

w	x	Y	Z	R	G
Н	Br	5-CH <sub>3</sub>	Н	OCH <sub>3</sub>	CO-i-C <sub>3</sub> H <sub>7</sub>
Н	Br	5-CH <sub>3</sub>	Н	OCH <sub>3</sub>	CO <sub>2</sub> -C <sub>2</sub> H <sub>5</sub>
Н	СН3	5-CH <sub>3</sub>	Н	OCH <sub>3</sub>	Н
Н	СН3	5-CH <sub>3</sub>	Н	OCH <sub>3</sub>	CO <sub>2</sub> -C <sub>2</sub> H <sub>5</sub>
СН3	СН3	3-Br	Н	OCH <sub>3</sub>	H
СН3	СН3	3-Cl	Н	ОСН3	Н
Н	Br	4-CH <sub>3</sub>	5-CH <sub>3</sub>	OCH <sub>3</sub>	CO-i-C <sub>3</sub> H <sub>7</sub>
Н	СН3	4-C1	5-CH <sub>3</sub>	OCH <sub>3</sub>	CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub>

w	X	Y	Z	R	G
Н	СН3	4-CH <sub>3</sub>	5-CH <sub>3</sub>	OCH <sub>3</sub>	CO-N_O
CH <sub>3</sub>	СН3	3-CH <sub>3</sub>	4-CH <sub>3</sub>	OCH <sub>3</sub>	Н
Н	СН3	5-CH <sub>3</sub>	Н	OC <sub>2</sub> H <sub>5</sub>	CO-N O
СН3	СН3	3-Br	Н	OC <sub>2</sub> H <sub>5</sub>	CO-i-C <sub>3</sub> H <sub>7</sub>
Н	СН3	4-CH <sub>3</sub>	5-CH <sub>3</sub>	OC <sub>2</sub> H <sub>5</sub>	CO-n-Pr
Н	СН3	4-CH <sub>3</sub>	5-CH <sub>3</sub>	OC <sub>2</sub> H <sub>5</sub>	CO-i-Pr
Н	СН3	4-CH <sub>3</sub>	5-CH <sub>3</sub>	OC <sub>2</sub> H <sub>5</sub>	CO-c-Pr

10. (currently amended)

Compositions The composition according to Claim

[[1]] 9, comprising the compound of formula (I)

$$R \xrightarrow{H} O X \xrightarrow{3} Y \xrightarrow{5} Z$$
 (I)

wherein W is H, X is CH<sub>3</sub>, Y is 5-CH<sub>3</sub>, Z is H, R is OCH<sub>3</sub>, and G is CO<sub>2</sub>-C<sub>2</sub>H<sub>5</sub> (I-4) and the active compound of the formula (II-1)

wherein J is iodine.

- 11. (cancelled)
- 12. (currently amended) Method A method for controlling animal pests, characterized in that mixtures—as comprising contacting a composition as defined in Claim 1 are allowed to act on with animal pests and/or or their habitat.
- 13. (currently amended) Process A process for preparing an insecticidal and acaricidal composition compositions, characterized in that mixtures comprising mixing a composition as defined in Claim 1 are mixed with one or more extenders and/or or surfactants, or combinations thereof.